



Updated: April 2008

[Bryan, J.](#)

Psychological effects of dietary components of tea: caffeine and L-theanine. *Nutr Rev*, Vol 66, 2, pp 82-90. Feb 2008

[Bukowski, J.](#)

L-theanine intervention enhances human gamma delta T lymphocyte function. *Nutr Rev*, Vol 66, 2, pp 96-102. Feb 2008.

[Haskell, C.F](#)

The effects of L-theanine, caffeine and their combination on cognition and mood. *Biol Psychol*, Vol 77, 2, pp 113-22, Feb 2008.

[Egashira, N.](#)

L-theanine prevents memory impairment induced by repeated cerebral ischemia in rats. *Phytother Res*, Vol 22, 1, pp 65-8, Jan 2008.

[Percival, S.](#)

Bioactive food components that enhance $\gamma\delta$ T Cell function may play a role in cancer prevention. *Journal of Nutrition*, Vol 138, 1, pp 1-4, 2008

[Rogers, P.J.](#)

Time for tea: mood, blood pressure and cognitive performance effects of caffeine and theanine administered alone and together. *Psychopharmacology*, Vol 195, 4, pp 569-577, Jan 2008.

[Yokogoshi, H.](#)

Effect of unique amino acid in green tea, L-theanine, on an enhancement of dopamine release and inhibitory neurotransmitters. *Yakugaku Zashi*, Vol 127, 4, pp 46-48, 2007 (Japanese).

[Kurihara, S.](#)

Enhancement of antigen-specific immunoglobulin G production in mice by co-administration of L-cystine and L-theanine. *Journal of Veterinary Medical Science*, Vol 69, 12, pp 1263. 2007.

[Yamada, T.](#)

L-theanine, r-glutamylethylamide, increases neurotransmission concentrations and neurotrophin mRNA levels in the brain during lactation. *Life Sciences*. Vol 81, 16, pp 1247-1255. 2007.

[Dimpfel, W.](#)

Theogallin and L-theanine as active ingredients in decaffeinated green tea extract, characterization in the freely moving rat by means of quantitative field potential analysis. *Journal of Pharmacy and Pharmacology*, Vol 59, 10, pp 1397. Oct 2007

[Egashira, N.](#)

Involvement of GABA_A receptors in the neuroprotective effect of theanine on focal cerebral ischemia in mice. *Journal of Pharmacological Sciences*. 105, 211-214, 2007.

[Rowe, C.A, et al.](#)

Specific Formulation of *Camellia sinensis* Prevents Cold and Flu Symptoms and Enhances $\gamma\delta$ T Cell Function: A Randomized, Double-Blind, Placebo-Controlled Study. *Journal of the American College of Nutrition*, Vol. 26 No. 5, 445-452 (2007).

[Ramirez, M, et al.](#)

The Deployment of Intersensory Selective Attention: A high-density Electrical Mapping Study of the Effects of Theanine. *Clinical Neuropharmacology* 2007, Vol 30, No. 1, pp 25 - 38.

[Dramard, V.](#)

Clinical Efficacy of L-theanine tablets to reduce anxiety-related emotional disorders in cats: A pilot open-label clinical trial. Abstract – *Journal of Veterinary Behavior*, Vol 2, No 3, May/June 2007

[Berteselli, G.V.](#)

Use of L-theanine tablets (Anxitane) and behaviour modification for treatment of phobias in dogs: A preliminary study. Abstract – *Journal of Veterinary Behavior*, Vol 2, No 3, May/June 2007

[Nathan, P.](#)

The neuropharmacology of L-Theanine (*N*-Ethyl-L-Glutamine): A possible neuroprotective and cognitive enhancing agent. *Journal of Herbal Pharmacotherapy* 2006, Vol 6(2) pp 21-30.



Updated: April 2008

[Parnell, H.](#)

Combined effects of L-theanine and caffeine on cognition and mood. *Appetite* London 2006, Vol 47, No 2, page 273.

[Kimura, K.](#)

L-theanine reduces psychological and physiological stress responses. *Biol Psychol*, 2006 Aug 21.

[Eschenauer, G, et al.](#)

Pharmacology and therapeutic uses of theanine., *Am J Health-Syst Pharm*, Vol 63, Jan 1, 2006.

[Ozeki, M.](#)

Factors that Affect the Body's Nervous System: Relaxation Effects of L-Theanine. *Nutraceutical Proteins and Peptides in Health and Disease.*, CRC Press, 2006, pp 377-390.

[Sadzuka, Y.](#)

Effects of theanine on alcohol metabolism and hepatic toxicity. *Biol Phar. Bull.*, Vol 28, No 9, September 2005.

[Yamada T, et al.](#)

Effects of theanine, γ -glutamylethylamide, on neurotransmitter release and its relationship with glutamic acid neurotransmission., *Nutritional Neuroscience*, August 2005; 8(4): 219-226.

[Min, Li.](#)

Effect of theanine on delaying exercise-induced fatigue and its mechanism (Chinese). *Acta Nutrimenta Sinica*, Aug., 2005, Vol27 No4.

[Rowe, C.](#)

L-theanine consumption increases proliferative capacity of human peripheral gamma delta T cells. *FASEB Journal*, Vol 19, No. 5, Suppl. S, Part 2, 2005, March 2, ppA1344.

[Zheng, G.](#)

Effect of theanine, γ -glutamylethylamide, on bodyweight and fat accumulation in mice. *Animal Science Journal* (2005) 76, 153-157.

[Desai, M.](#)

Pharmacokinetics of Theanine Enantiomers in Rats. *Chirality* 17:154-162, 2005.

[Sugiyama, T.](#)

Theanine, a specific glutamate derivative in green tea, reduces the adverse reactions of doxorubicin by changing the glutathione level. *Cancer Lett.*, 2004 Aug 30, Vol 212, No. 2, pp 177-84.

[Nagasawa, K.](#)

Possible involvement of group I mGluRs in neuroprotective effect of theanine. *Biochem. And Biophys. Research Communications* 320 (2004) 116-122/

[Egashira, N.](#)

Neuroprotective effect of γ -glutamylethylamide (theanine) on cerebral infarction in mice. *Neuroscience Letters*, 2004, Vol 363, pp 58-61.

[Zheng, G.](#)

Anti-obesity effects of three major components of green tea, catechins, caffeine and theanine, in mice. *In Vivo*, Vol 18, 2004 Jan. pp 55-62.

[Song, Chan Hee](#)

Effects of Theanine on the Release of Brain Alpha Wave in Adult Males. Department of Family Medicine, Obesity Clinic, St. Mary's Hospital, The Catholic University of Korea. *The Korean Nutrition Society*. 2003 36(9): 918-923.

[Armstrong, D.W.](#)

Analysis of derivatized and underivatized theanine enantiomers by high-performance liquid chromatography/atmospheric pressure ionization-mass spectrometry. *Rapid Commun Mass Spectrom*, Vol 18, 2004, pp. 251-6.

[Sugiyama T.](#)

The effect of theanine on doxorubicin-induced adverse reaction. *Proceedings of the AACR*, Vol 44, 2nd ed., July 2003.



Updated: April 2008

[Shiraga, F.](#)

Theanine provides neuroprotective effects of retinal ganglion cells in a rat model of chronic glaucoma. ARVO Annual Meeting, Vol. 2003, Abstract No. 119., May 04-08, 2003

[Kim, Y.K.](#)

Modulation of adipogenesis and lipolysis by green tea (catechins, theanine and caffeine) in 3T3-L1 adipocytes. Pacific R&D Center, Yongin, Korea. Int. Journal of Obesity. Abstracts of the 12th European Congress on Obesity. Helsinki, Finland, 29 May-1 June, 2003.

[Sugiyama T, Sadzuka Y.](#)

Theanine and glutamate transporter inhibitors enhance the antitumor efficacy of chemotherapeutic agents. Biochimica et Biophysica Acta, May 19, 2003

[Kamath, A. Wang, L. Das, H. Li, L. Reinhold, V. Bukowski, J.](#)

Antigens in tea-beverage prime human V_γ2Vδ2 T cells *in vitro* and *in vivo* for memory and nonmemory antibacterial cytokine responses. PNAS, Vol. 100, no. 10, 2003 May 13, pp 6009-6014.

[Ozeki, M. et. al.](#)

Effect of L-theanine on smoking habits. Taiyo Kagaku, Otsuka Chemical, Saint-Marianna Medical Institute. April 15, 2003.

[Tsuge, H. Sano, S. Hayakawa, T. Kakuda, T. Unno, T.](#)

Theanine, γ-glutamylethylamide, is metabolized by renal phosphate-independent glutaminase. Biochim Biophys Vol 1620, No 1-3, 2003 Mar 17, pp 47-53

[Kakuda, T. Nozawa, A. Sugimoto, A. Niino, H.](#)

Inhibition by theanine of binding of (3H) AMPA, (3H) kainate, and (3H) MDL 105,519 to glutamate receptors. Biosci Biotech. Biochem, Vol. 66, No. 12 2002 Dec pp 2683-6

[Kakuda T.](#)

Neuroprotective effects of the green tea components theanine and catechins. Biol Pharm Bull 2002 Dec; 25(12): 1513-8

[Sadzuka, Y, Yamashita, Y, Kishimoto, S, Fukushima, S, Takeuchi, Y, Sonobe, T.](#)

Glutamate transporter mediated increase of antitumor activity by theanine, an amino acid in green tea Yakugaku Zasshi No. 11 2002 Nov pp. 995-9, University of Shizuoka, 52-1 Yada, Shizuoka 422-8526, Japan.

[Suzuki, H.](#)

Enzymatic production of theanine, an "umami" component of tea, from glutamine and ethylamine with bacterial γ-glutamyltranspeptidase. Enzyme and Microbial Technology 31 (2002) 884-889.

[Song, Chan Hee](#)

The Effects of L-theanine containing Functional Beverage on mental Relaxation and Fatigue Perception. Department of Family Medicine, Psychiatry, The Catholic University of Korea. Journal Korean Acad Fam Med, Vol. 23, No 5 May, 2002.

[Sadzuka Y, Yamashita Y, Sugiyama T, Sonobe T.](#)

Effect of dihydrokainate on the antitumor activity of doxorubicin. Cancer Lett. 2002 May 28; 179(2): 157-63

[Zhang G, Miura Y, Yagasaki K.](#)

Effects of dietary powdered green tea and theanine on tumor growth and endogenous hyperlipidemia in hepatoma-bearing rats. Biosci Biotechnol Biochem 2002 Apr;66(4):711-6.

[Sadzuka Y, Yamashita, Y, Hirooka S, Sonobe T.](#)

Enhancing effect of theanine on the antitumor activity of cisplatin. Proceedings of the American Association for Cancer Research Annual Meeting Vol 43, March, 2002, pp. 586.

[Shirakawa, Shuichiro.](#)

Effect of L-Theanine on improvement of sleep. National Mental & Nerve Center, JAPAN. Unpublished. December 14, 2001.

[Ueda T, Ozeki M, Okubo T, Chu D, Juneja L.R, Yokogoshi H, Matsumoto S.](#)

Improving Effect of L-Theanine on Premenstrual Syndrome. Journal of JSPOG Vol. 6, No. 2, pp 234-239, December 2001.



Updated: April 2008

[Kim K, Yum K, Lee Y.](#)

Effect of changes of muscle tension and brain alpha wave activity induced by functional beverage on golf performance
International Symposium on Food, Nutrition and Health, Korean Society of Food Science and Nutrition. Dec 7-8, 2001: 50-51.

[Zhang G, Miura Y, Yagasaki K.](#)

Inhibitory effects of theanine and sera from theanine-fed rats on receptor-mediated cancer cell invasion beneath mesothelial cell monolayers. *Cytotechnology* 36: 195-200, 2001.

[Nozawa, A.; Kakuda, T.; Kubo, T.; Tsukamoto, S.](#)

Neuroprotection of γ -glutamylethylamide (theanine) against kainic acid toxicity in rat hippocampus.
Society for Neuroscience Abstracts. Vol. 27, No. 1, November 2001, pp 892.

[Krieger D, Kalman D, Sosa D, Schwarts HI, Almada A](#)

The sympathomimetic response to a novel ephedra/caffeine based dietary supplement in healthy overweight volunteers.
Journal of The American College of Nutrition, Volume 20, No 5, October 2001, p585

[Sadzuka Y, Sugiyama T, Suzuki T, Sonobe T.](#)

Enhancement of the activity of doxorubicin by inhibition of glutamate transporter. *Tox. Lett.* 2001 Sep 15;123(2-3):159-167

[Weiss, M, Schnittker, R, Barthel, T, Falke, W, Geiss, K.E, Juneja, L.R.](#)

Correlations between central nervous parameters and hormonal regulations during recovery from physical stress influenced by theanine.
Amino Acids (Vienna) 2001 August; Vol. 21, No. 1, PP 62

[Weiss, M, Reinsberger, C, Liesen, H, Juneja, L. R, Herwegen, H, Geiss, K.R.](#)

Does L-theanine have an influence on relaxation after severe physical exercise? Evaluation using electrosympathicography.
Amino Acids (Vienna) 2001 August; Vol. 21, No. 1, PP 60

[Weiss, M, Schnittker, R, Liesen, H, Juneja, L. R.; Geiss K.R, Barthel, T.](#)

EEG changes in humans during regeneration after heavy physical strain with the influence of theanine; amino acid in green tea.
Amino Acids (Vienna) 2001 August; Vol. 21, No. 1, PP 59

[Weiss, M, et.al.](#)

Scientific study on L-theanine containing drinks with regard on relaxation and regeneration after physical stress as measured by electroencephalography, skin conductance and stress hormones. Institute for Sports Medicine, University of Paderborn, Germany.

[Sugiyama T, Sadzuka Y, Tanaka K, Sonobe T.](#)

Inhibition of glutamate transporter by theanine enhances the therapeutic efficacy of doxorubicin. *Tox Lett* 2001 Apr 30;121(2):89-96.

[Kakuda, T. et al.](#)

Neuroprotection of γ -glutamylethylamide (theanine) in middle cerebral artery occlusion in the rat.
Society for Neuroscience Abstracts. Vol. 26, No. 1-2, 2000 pp 183.19

[Sadzuka Y, Sugiyama T, Sonobe T](#)

Improvement of idarubicin induced antitumor activity and bone marrow suppression by theanine, a component of tea.
Cancer Lett 2000 Oct 1;158(2):119-124

[Kakuda, T. et al.](#)

Protective effect of γ -glutamylethylamide (theanine) on ischemic delayed neuronal death in gerbils.
Neuroscience Letters. Vol. 289, No. 3, August 11, 2000. pp 189-192

[Yokogoshi H, et al.](#)

Effect of Theanine, γ -glutamylethylamide, on Brain Monoamines, striatal dopamine release and some kinds of behavior in rats.
Nutrition 2000, Sep; 16(9):776-777.

[Kakuda T, et al.](#)

Inhibiting effects of theanine on caffeine stimulation evaluated by EEG in the rat. *Biosci Biotech. Biochem* 2000 Feb;64(2):287-93.

[Sugiyama, K. et al.](#)

Liver injury-preventive effect of tea theanine in rats. *Journal of Food Science*. Jan.-Feb. 2000. Vol. 65, No. 1, p. 30-33.



Updated: April 2008

[Sadzuka Y, et al.](#)

Efficacies of tea components on doxorubicin induced antitumor activity and reversal of multi-drug resistance. *Toxicol Lett.* 2000 Apr 3;114(1-3):155-62

[Sugiyama, T. et al.](#)

Theanine, a major amino acid of green tea, enhances antitumor activity of doxorubicin via inhibition of glutamate transporter. *Proceedings of the American Association for Cancer Research Annual Meeting.* March 2000. No 41, p. 242

[Terashima T. et al.](#)

Effect of Theanine Intake on Learning Ability of Rats. *Fourth Shizuoka Forum on Health and Longevity.* Nov 18, 1999 p.82-83.

[Juneja L, et al.](#)

L-theanine – Unique amino acid of green tea and its relaxation effect in humans. *Trends in food science tech.* June/July 1999. v.10 (6/7) p. 199-204.

[Sugiyama T, et al.](#)

Membrane transport and antitumor activity of pirarubicin, and comparison with those of doxorubicin. *Jpn J Cancer Res.* 1999 Jul;90(7):775-80.

[Bukowski JF, et al.](#)

Human gamma delta T cells recognize alkylamines derived from microbes, edible plants, and tea: implications for innate immunity. *Immunity.* 1999 Jul;11(1):57-65.

[Unno T. et al.](#)

Protective effect of theanine on ischemic neuronal death in transient forebrain ischemia model. *Society for Neuroscience Abstracts.* 1999, Vol. 25, No. 1-2, p. 575.

[Unno, T. et al.](#)

Metabolism of theanine, small γ -glutamylethylamide, in rats. *Journal of Ag and Food Chem.* April 1999, v.47, No 4 pp 1593-96.

[Sugiyama T, et al.](#)

Theanine, a major amino acid in green tea, inhibits severe leukopenia and enhances antitumor activity induced by idarubicin. *Proc. American. Assoc. Cancer Research.* 40, March 1999

[Terashima T, et al.](#)

Time-dependent changes of amino acids in the serum, liver, brain and urine of rats administered with theanine. *Biosci Biotechnol Biochem.* 1999 Apr;63(4):615-8.

[Sugiyama T, et al.](#)

Combination of theanine with doxorubicin inhibits hepatic metastasis of M5076 ovarian sarcoma. *Clin Cancer Res* 1999 Feb;4:13-6.

[Sugiyama T, et al.](#)

Enhancing effects of green tea components on the antitumor activity of adriamycin against M5076 ovarian sarcoma. *Cancer Lett.* 1998 Nov 13;133(1):19-26.

[Sugiyama, T. et al.](#)

Green tea component, theanine enhances the antitumor activity of adriamycin against sensitive P388 leukemia and resistant P388-ADR. *Proceedings of the American Association for Cancer Research Annual Meeting.* 1998, Vol. 39, p. 528.

[Yokogoshi H, et al.](#)

Theanine-induced reduction of brain serotonin concentration in rats. *Biosci Biotechnol Biochem.* 1998 Apr;62(4):816-7.

[Kobayashi A, et al.](#)

Effects of L-Theanine on the release of a-waves in human volunteers. *Nippon Nogeikagaku Kaishi.* 1998 Vol. 72, 153-157

[Nozawa, A. et al.](#)

Theanine, a major flavor amino acid in green tea leaves, inhibits glutamate-induced neurotoxicity on cultured rat cerebral cortical neurons. *Society for Neuroscience Abstracts.* 1998, Vol. 24, No. 1-2, p. 978.



[Sadzuka Y, et al.](#)

Modulation of cancer chemotherapy by green tea. *Clin Cancer Res.* 1998 Jan;4(1):153-6.

[Yokogoshi H, et al.](#)

Effect of theanine, r-glutamylethylamide, on brain monoamines and striatal dopamine release in conscious rats. *Neurochem Res.* 1998 May;23(5):667-73.

[Yokogoshi H, et al.](#)

Hypotensive effect of γ -glutamylmethylamide in spontaneously hypertensive rats. *Life Sci.* 1998;62(12):1065-8.

[Yokozawa T, et al.](#)

Influence of green tea and its three major components upon low-density lipoprotein oxidation. *Exp Toxicol Pathol.* 1997 Dec;49(5):329-35.

[Yokozawa T, et al.](#)

Inhibitory effect of green tea on injury to cultured renal epithelial cell line, LLC-PK1. *Biosci Biotech. Biochem.* 1997 Jan;61(1):204-6.

[Yagyu T, et al.](#)

Chewing-gum flavor affects measures of global complexity of multichannel EEG. *Neuropsychobiology.* 1997;35(1):46-50.

[Kitaoka S, et al.](#)

Transmural potential changes associated with the in vitro absorption of theanine in the guinea pig intestine. *Biosci Biotech. Biochem.* 1996 Nov;60(11):1768-71.

[Sadzuka Y, et al.](#)

The effects of theanine, as a novel biochemical modulator, on the antitumor activity of adriamycin. *Cancer Lett.* 1996 Aug 2;105(2):203-9.

[Yokozawa T, et al.](#)

Effects of a component of green tea on the proliferation of vascular smooth muscle cells. *Biosci Biotech. Biochem.* 1995 Nov;59(11):2134-6.

[Yokogoshi H, et al.](#)

Reduction effect of theanine on blood pressure and brain 5-hydroxyindoles in spontaneously hypertensive rats. *Biosci Biotech. Biochem.* 1995 Apr;59(4):615-8.

[Nozawa, A. et al.](#)

Theanine, a glutamate analog, stimulates NMDA-receptors by suppresses excitatory effect of caffeine in cortical neurons. *Society for Neuroscience Abstracts.* 1995, Vol. 21, No. 1-3, p. 835.

[Graham HN.](#)

Green tea composition, consumption, and polyphenol chemistry. *Prev Med.* 1992 May;21(3):334-50.

[Sagesaka Y, et al.](#)

Pharmacological effect of theanine. *Proceedings of the International Symposium on Tea Science, August 26-29, 1991, 362-364*

[Tsushida, T.](#)

Metabolism of L-theanine in tea leaves. *JARQ (Japan Agricultural Research Quarterly).* 1987, Vol. 21, No. 1, p 42-46.

[Feldheim, W. et al.](#)

Investigation of the presence and significance of theanine in the tea plant. *Journal of the Science of Food and Agriculture.* 1986, Vol. 37, No. 6, p. 527-534.

[Kimura R, et al.](#)

Effect of theanine on norepinephrine and serotonin levels in rat brain. *Chem Pharm Bull (Tokyo).* 1986 Jul;34(7):3053-7.

[Neumann, K.](#)

Quantitative determination of theanine in tea extracts. *Deutsche Lebensmittel-Rundschau.* 1982 May. v. 78 (5) p. 172-174



[Oda Y, et al.](#)

Synthesis and antibacterial activities of theanine-containing oligopeptides. *Chem Pharm Bull (Tokyo)*. 1980 Dec;28(12):3549-54.

[Kimura R, et al.](#)

Influence of alkylamides of glutamic acid and related compounds on the central nervous system. IV. Effect of theanine on adenosine 3',5'-monophosphate formation in rat cerebral cortex. *Chem Pharm Bull (Tokyo)*. 1980 Feb;28(2):664-6.

[Shinozaki H, et al.](#)

Theanine as a glutamate antagonist at a crayfish neuromuscular junction. *Brain Res*. 1978 Jul 28;151(1):215-9.

[Kimura R, et al.](#)

Influence of alkylamides of glutamic acid and related compounds on the central nervous system. III. Effect of theanine on spontaneous activity of mice. *Yakugaku Zasshi*. 1975 Jul;95(7):892-5. Japanese.

[Kimura R, et al.](#)

Influence of alkylamides of glutamic acid and related compounds on the central nervous system. II. Synthesis of Amides of Glutamic Acid and Related Compounds, and their Effects on the Central Nervous System. *Chem Pharm Bull (Tokyo)*. 1971 Vol. 19 No. 7, 1301 - 1307

[Kimura R, et al.](#)

Influence of alkylamides of glutamic acid and related compounds on the central nervous system. I. Central depressant effect of theanine. *Chem Pharm Bull (Tokyo)*. 1971 Jun;19(6):1257-61.